Chemical Product and Company Identification Page E1 of E2

901 Janusville Ave P.O. Box 901 Fort Atkinson, WI 53538-0901

Km00009 KM00603

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only Not for drug, food or household use

Product

ETHYL ALCOHOL, DENATURED, 95% SOLUTION

Synonyms

Ethanol, Censtured, 95%

Section 2 Signal word: DANGER

Hazards Mentification

Pictograms: GHS02 / GHS07 / GHS08 / GHS06
Target organs: Eyes, Central nervous system, Liver, Kidneys







GHS Classification: Flammable liquid (Category 2)
Acute toxicity, inhalation (Category 3) Skin irritation (Category 2) Eye imitation (Category 2B) STOT-SE (Category 2) STOT-SE (Category 3)

GHS Label information: Hazard statement: H225: Highly flammable liquid and vapour

H315: Causes skin irritation

H319: Causes serious eye irritation

H331: Toxic If inhaled.

H336 May cause drowsiness or dizziness

H371: May cause damage to organs

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking

P240: Ground/bond container and receiving aguipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge P260: Do not breathe mist/vapours/spray

P264: Wash hands thoroughly after handling P271: Use only outdoors or in a well-ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338. If IN EYES, Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing

P303+P361+P353: IF ON SKIN (or hair) Take off immediately all contaminated dothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to Iresh air and keep comfortable for breathing

P312: Call a POISON CENTER or doctor if you feel unwell,

P332+P313: If skin Irritation occurs: Get medical attention P337+P313: If eye Irritation persists. Get medical attention

P362+P364: Take off contaminated clothing and wash it before reuse P403+P233. Store in a well-ventillated place. Keep container tightly closed.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental)

Chemical Name	CAS#	*	EINECS
Ethyl atcohol Water Isopropył alcohol (denaturant) Methanol (denaturant)	64-17-5 7732-18-5 67-53-0 87-56-1	85.9% 5 0% 4.8% 4.3%	200-578-6 231-781-2 200-681-7 200-659-6

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Polson Control Center immediately. Induce vomiting only if advised by appropriate medical personnel Never give anything by mouth to an unconscious person

INHALATION: MAY BE HARMFUL, IF INHALED, CAUSES RESPIRATORY TRACT (RRITATION, Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention

EYE CONTACT: CAUSES EYE IRRITATION, Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION Remove contaminated clothing. Flush thoroughly with mild soap and water. If imitation occurs, get medical attention

Section 5 Fire Fighting Measures

Sultable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Personal Precautions: Evacuate personnel to sefe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to Waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water

Section 7 Handling & Storage Page E2 of E2

Precautions for Safe Handling: Read label on container before using Dig not wear contact fenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage; Store in a cool, dry, well-ventifated area away from incompatible substances. Keep away from ignition sources

Section 8 Exposure Controls / Personal Protection

Exposure Limits:

Chemical Name Ethanol

ACGIH (TLV) STEL. 1000 ppm / 1880 mg/m³(A3)

OSHA (PEL) TVVA: 1000 ppm / 1900 mg/m³

NIOSH (REL) TVVA. 1000 ppm / 1500 mg/m³

Supercedes: October 20, 2015

Engineering controts: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator

Physical & Chemical Properties

Appearance: Clear, colorless liquid Odor: Mild characteristic odor. Odor threshold: Data not available

pH: Data not available. Melting / Freezing point: -114 C (-173 F)* Boiling point: 78°C (163-174°F)*

Flash point: 13°C (55°F) TCC

Evaporation rate (Butyl acetate = 1): 4 1" Flammability (solid/gas): Data not available

Vapor pressure (mm Hg): 44 8 mm @ 20°C'
Vapor density (Air = 1): 1 58°

Relative density (Specific gravity): 0 794°C @ 50°F° Solubility(les): Soluble in water

Partition coefficient: (n-octanol / water): Low Pow -.32* Auto-Ignition temperature: 363°C (685°F) Decomposition temperature: Data not available

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

*Pure Ethapoli

Section 10 Stability & Reactivity

Hazardous polymertzation: Will not occur Chemical stability: Stable Conditions to avoid: Excessive temperatures, heat, sparks, open fisme and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens

Hazardous decomposition products: Oxides of carbon

Toxicological Information Section 11

Acute toxicity: Oral-rat LD50: 7050 mg/kg; Inhalation-rat LC50, 124 7 mg/l/4hours (Ethanol)

Skin corrosion/irritation; Skin-rabbn - Sight kritant. Serious eye damage/irritation: Eyea-rabbit - Severe imtent Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available

Carcinoganity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP IARC classified Group 3: Not classifiable as to its carcinogenicity to humans. [tsopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity: Data not available

STOT-single exposure: The substance or moture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, neuses, varniting, staggering galt and coma

Skin: Contact with skin causes imitation defatting on prolonged contact.

Eyes. Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above

Additional information: RTECS #: KQ6300000 [Ethanol]

Ecological Information

Toxicity to fish: Oncorhynchus mykias (fish, fresh water), LC50 = 11,200 mg/l/24 hours (Ethanol)

Toxicity to daphnia and other equatic invertebrates: Dephnia magna (Grustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 89.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9.310 mg/l/growth rata [Ethanol, absolute] Parsistence and degradability: No data available Bioaccumulative potential: No data available PBT and vPvB assessment: No data available Mobility in soil: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Section 12 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN1170 Shipping name: Ethanol

Hazard class: 3 Packing group: If Reportable Quantity: 5,000 lbs (2270 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2016 ERG Guide # 127

Section 15 Regulatory Information A chemical is considered to be listed if the CAS number for the an

TSCA RCRA code NDSL CERLCA (RO) DSL Component D001 U154 Listed Listed Not listed Not listed Ethanol Listed Methanol Isopropanol Listed 5,000 lbs Not listed Not listed Not listed Listed Not Insted Listed

Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this intuination only as a supplement to other information gathered by them and must make independent determinations of suitablety and completeness of information from all sources to assure proper use of these minterials and the safety and health of employees. NTP. National Toxicology Program. IARC: International Agency for Passagerto in Cancer, OSHA. Occupational Sefety and Health Administration, STOT. Specific Target Organ Toxicity, SE, Single Exposure, RE, Repeated Exposure, ERG, Emergency Response Guidebook.

Form 06/2015

Revision Date: December 1, 2016