1353.

MATERIAL SAFETY DATA SHEET MSDS N-102 REVISION 9

9709679 RECEIVED

2012 FEB 15 PH 1:29

OMAHA PUBLIC SCHOOLS

# **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Medical Emergencies: 1-888-689-9082

Chemtrec: 1-800-424-9300 (24 Hours Daily)

Scottsdale, Arizona 85254-9934 Other Information: 1-888-468-6673

PRODUCT: Liquid Starch DATE OF ISSUE: July 31, 2007

TRADE NAMES/SYNONYMS: Sta-Flo Concentrated Liquid Starch

CHEMICAL FAMILY: Mixture I.D. NUMBERS: 990003

## **SECTION 2: HAZARD IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

The Dial Corporation

15101 N. Scottsdale Road

CAUTION: This product is an opaque blue liquid with a pleasant odor. Direct contact with eyes may cause irritation, with possibility of corneal injury if not removed promptly. It may be harmful if swallowed. Repeated or prolonged excessive exposure with skin can result in defatting and drying which may result in irritation and dermatitis. Keep out of reach of children. No significant environmental effects. Not a fire hazard. Product is stable.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission. The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet differ from the requirements of the CPSC and as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

### **REGULATORY STATUS**

While this product is not considered to be hazardous under OSHA's Hazard Communication Standard (29 CFR 1900.1200), this MSDS includes valuable information that is critical for safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

#### POTENTIAL HEALTH EFFECTS

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

EYE CONTACT: May cause moderate to severe irritation, with possibility of corneal injury if not removed

promptly.

SKIN CONTACT: Repeated or prolonged excessive exposure can result in defatting and drying of the skin which

may result in irritation and dermatitis.

INGESTION: Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting, diarrhea

and lethargy.

INHALATION: Unlikely to occur due to the physical properties of the product. Mists may cause respiratory tract

irritation.

CHRONIC HEALTH EFFECTS: None known.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Persons with history of chronic skin conditions.

## POTENTIAL ENVIRONMENTAL EFFECTS

See Section 12: Ecological Information.

LIQUID STARCH

2012 FEB 15 PH 1:29

MSDS N-102 (Rev. 9)

July 31, 2007

# **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Based on our hazard evaluation, the following chemical substance(s) in this product have been identified as hazardous.

**INGREDIENT** 

**CAS NUMBER** 

PERCENT (w/w)

Starch

9005-25-8

5 - 10 %

### **SECTION 4: FIRST AID MEASURES**

EYES: Immediately rinse eyes with plenty of water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persist.

SKIN: Rinse affected area with large amounts of water until no evidence of product remains. Get medical attention if irritation persists.

INGESTION: Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

INHALATION: Immediately remove from exposure area to fresh air. Keep affected person warm and at rest. Treat symptomatically and supportively. Contact physician or local poison control center. If breathing has stopped, give artificial respiration, and get medical attention immediately.

NOTE TO PHYSICIAN: The physician's judgment should be used to control symptoms and clinical condition based on the individual reactions of the patient.

## **SECTION 5: FIRE FIGHTING MEASURES**

### **FLAMMABLE PROPERTIES**

OSHA FLAMMABILITY CLASSIFICATION: Not applicable

FLASH POINT: None

UPPER FLAMMABILITY LIMIT: Not applicable

LOWER FLAMMABILITY LIMIT: Not applicable

**AUTO-IGNITION TEMPERATURE:** 

Not applicable

FIRE AND EXPLOSION HAZARD: Negligible fire hazard when exposed to heat or flame. HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and oxides of nitrogen.

#### **EXTINGUISHING MEDIA**

Dry chemical or carbon dioxide. For larger fires, use water spray, fog or regular foam.

## PROTECTION OF FIREFIGHTERS

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing vapors; keep upwind.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### PERSONAL PRECAUTIONS

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Make sure area is slip-free before re-opening to traffic.

### **ENVIRONMENTAL PRECAUTIONS**

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

METHODS FOR CONTAINMENT AND CLEAN UP

w West.

July 31, 2007

SMALL SPILLS: Contain and absorb with sand or other absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spillato prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

OMAHA PUBLIC SCHOOLS

OMAHA PUBLIC SCHOOLS

## SECTION 7: HANDLING AND STORAGE

### HANDLING:

Do not get in eyes or on skin. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists. Keep the containers closed when not in use.

#### STORAGE:

Store in original containers in a cool dry area. Store away from excessive heat and incompatible substances. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

## SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use. The information provided below refers to the occupational settings.

### WORKER EXPOSURE LIMITS

The following exposure limits exist for the ingredients listed below. The TLV-TWA is the ACGIH Threshold Limit Value – Time Weighted Average; PEL-TWA is the OSHA Permissible Exposure Limit - Time Weighted Average.

INGREDIENT

CAS NUMBER

**EXPOSURE LIMIT** 

Starch

9005-25-8

TLV-TWA: 10 mg/m<sup>3</sup>; PEL-TWA: 5 mg/m<sup>3</sup> (respirable fraction), 15

mg/m³ (total dust)

ENGINEERING CONTROLS: Provide local exhaust or general dilution ventilation to keep potential exposure to airborne contaminants as low as possible.

RESPIRATOR: Air contamination monitoring should be carried out where dusts are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

FOR FIRE FIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure demand or other positive-pressure mode.

CLOTHING: Protective clothing is required where prolonged or repeated skin contact may occur.

GLOVES: Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

EYE/FACE PROTECTION: Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE:

Blue opaque liquid

ODOR/ODOR THRESHOLD:

Pleasant fragrance

PHYSICAL STATE:

Liquid

pH (@ 25℃):

8.5 - 9.3

VAPOR DENSITY:

Not available

**BOILING POINT:** 

Not available

VAPOR PRESSURE:

Not available

MELTING/FREEZING POINT: Not available

5.1 . . . . . . . . .

FLASH POINT:

See Section 5.

FLAMMABLE PROPERTIES:

See Section 5.

SOLUBILITY IN WATER: Complete

LIQUID STARCH

MSDS N-102 (Rev. 9) E / Vuly 81, 2007

DENSITY/SPECIFIC GRAVITY: 1.035 @ 25 °C

EVAPORATION RATE! Not available PM 1.

OCTANOL/WATER PARTITION COEFFICIENT (Kow): Not available

VISCOSITY: 60 - 220 cps (Brookfield RV, Spindle #1, 20 rpm) @ 25 °C

OMAHA PUBLIC S

### **SECTION 10: STABILITY AND REACTIVITY**

CHEMICAL STABILITY: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

CONDITIONS TO AVOID: Avoid storing in direct sunlight and avoid extremes of temperature.

INCOMPATIBLE MATERIALS: Strong oxidizers and reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition products may include toxic oxides of sulfur and carbon, and hydrogen sulfide.

POSSIBILITY OF HAZARDOUS REACTIONS: Polymerization does not occur under normal temperatures and pressures.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

PRODUCT INFORMATION SUMMARY: This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use. Direct contact with eyes may cause irritation, with possibility of corneal injury if not removed promptly. It may be harmful If swallowed. Repeated or prolonged excessive exposure with skin can result in defatting and drying which may result in irritation and dermatitis.

COMPONENT ANALYSIS: None of the ingredients in this product are considered toxic.

SENSITIZATION: This product is not considered a skin or respiratory sensitizer.

CARCINOGENICITY: None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

MUTAGENICITY: None of the ingredients in this product are known to cause mutagenicity.

REPRODUCTIVE/FETAL/DEVELOPMENTAL TOXICITY: None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

TARGET ORGAN TOXICITY: None of the ingredients in this product are known to have target organ toxicity.

EPIDEMIOLOGICAL INFORMATION: None of the ingredients in this product are known to have health-related information in working populations.

# **SECTION 12: ECOLOGICAL INFORMATION**

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

ENVIRONMENTAL FATE: No environmental fate data exists for the product. The product is anticipated to be rapidly biodegradable.

PERSISTENCE AND DEGRADABILITY: The persistence and degradability of this product has not been determined.

BIOACCUMULATION POTENTIAL: The bioaccumulation potential of this product has not been determined.

MOBILITY: The mobility of this product (in soil and water) has not been determined.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE NUMBER AND DESCRIPTION: Not applicable, not regulated.

DISPOSAL CONSIDERATIONS: This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254 Page 4 of 5

# SECTION 14: TRANSPORT INFORMATION

GROUND TRANSPORT CHOOLS

DOT Hazard Class: A SIMG DOT Proper Shipping Name:

UN/NA Number:

Not regulated Not applicable

Not applicable

Packing Group:

Shipping Label Information:

Not applicable Not applicable

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Hazard Class: ICAO/IATA Proper Shipping Name:

Not regulated Not applicable MARINE TRANSPORT (IMDG/IMO)

IMDG/IMO Hazard Class: IMDG/IMO Proper Shipping Name: Not regulated Not applicable

# **SECTION 15: REGULATORY INFORMATION**

### **UNITED STATES:**

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910,1200:

The Occupational Safety and Health Administration requires Material Safety Data Sheets to provide any hazards that may be associated with the product, and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this MSDS may contain additional health hazard information not pertinent to consumer use.

EPA - SARA TITLE III SECTION 313: This product contains no materials reportable under this section.

EPA CERCLA/SARA TITLE III SUPERFUND AMENDMENT AND REAUTHORIZATION ACT:

This product contains no CERCLA/SARA Title III materials. This product contains no hazardous chemicals reportable under Sections 311/312. This product contains no hazardous chemicals reportable under Section 304.

TSCA: All components of this product are listed on U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

#### STATE REGULATIONS

CALIFORNIA PROPOSITION 65: This product does not contain substances listed under California Proposition 65.

### CANADA:

**CANADIAN ENVIRONMENTAL PROTECTION ACT:** 

INVENTORY STATUS: All components of this product are listed on the Canadian Domestic Substances List (DSL).

WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM:

WHMIS CLASSIFICATION: Not subject to classification.

## **SECTION 16: OTHER INFORMATION**

DISCLAIMER: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, The Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, The Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature is made hereunder with respect to the information set forth herein or to the product to which the information refers.

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HMIS RATINGS (Scale 0-4, where 4=severe hazard):

HEALTH=0 FLAMMABILITY=0 REACTIVITY=0 HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

MSDS CREATION DATE: 02/03/89 SUPERCEDES: Rev. 8, 12/01/04 REVISION DATE: 07/31/07 REVISION: 16-Section Format