Section 1

Chemical Product and Company Information

CORROSIVE STORAGE CODE WHITE

Page Et of E2



CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product

FERRIC CHLORIDE, HEXAHYDRATE

Synonyms

Iron(III) Chloride, Hexahydrate

Section 2

Hazards Identification

Signal word: DANGER Pictograms: GHS05 / GHS07

Target organs: Eyes, Skin, Respiratory system, Liver, Gastrointestinal tract

GHS Classification: Corrosive to metals (Category 1) Acute toxicity, oral (Category 4) Skin irritation (Category 2) Eye damage (Category 1)

GHS Label Information: Hazard statement:

H290: May be corrosive to metals.

H302; Harmful if swallowed.

H315: Causes skin irritation, H318: Causes serious eye damage. Precautionary statement:

P234: Keep only in original container.

P405: Store in corrosive resistant container with a resistant inner liner.

P264: Wash hands thoroughly after handling.

P270; Do not eat, drink or smoke when using this product.

P280; Wear protective gloves/protective clothing/eye protection/face protection, P301+P330+P312; IF SWALLOWED, Rinse mouth, Call a POISON CENTER or doctor if you feel unwall.

P302+P352; IF ON SKIN: Wash with plenty of water and soap,

P332+P313: If skin irritation occurs: Get medical attention.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor,

P362+P364: Take off contaminated clothing and wash it before reuse.

P501; Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3

Composition / Information on Ingredients

Chemical Name

CAS #

EINECS

Ferric chloride, hexahydrate

10025-77-1

100%

231-729-4 [anhydrous]

First Aid Measures

INGESTION: HARMFUL IF SWALLOWED, MAY CAUSE LIVER OR KIDNEYS DAMAGE. Call physician or Poison Control Center immediately. Induce vorniting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION, Remove contaminated clothing. Flush thoroughly with mild scap and water. If imitation occurs, get medical attention,

Section 5 Fire Fighting Measures

Sultable Extinguishing Media: Do NOT use water! Dry chemicals, CO₂ or other agents as appropriate for surrounding fires.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool,

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. May release toxic furnes of Hydrogen chloride gas in a fire.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways,

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

SA09521 FERRIC CHLORIDE HEXAHYDRATE 100G

Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts or vapors. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Avoid contact with humid or wet areas. Keep away from metals.

Section 8

Exposure Controls / Personal Protection

Exposure Limits:

Chemical Name Iron satts, soluble, as Fe

ACGIH (TLV) TVVA: 1 mg/m

OSHA (PEL) No listing

NIOSH (REL) TWA: 1 mg/m

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, tab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Physical & Chemical Properties

Appearance: Solid, Yellow-brown lumps Odor. Hydrochloric acid odor, Odor threshold: Data not available pH: 2 (0,1M solution)

Melting / Freezing point: 37°C (99°F) Boiling point: Data not available Flash point: Date not available

Evaporation rate (= 1): Data not available Flammability (solid/pas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): >1

Relative density (Specific gravity): Data not available

Solublity(les): 920 g/L in water.

Partition coefficient: Data not available Auto-Ignition temperature: Data not available Decomposition temperature: Data not available

Viscosity: Data not available. Molecular formula: FeCl3-6H2O Molecular weight: 270,30

Section 10

Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, water, potassium, sodium, incompatible materials. Incompatible materials: Water, oxidizing agents, metals, strong bases, reducing agents, alcohols.

Hazardous decomposition products: Hydrogen gas on contact with metals.

Section 11

Toxicological Information

Acute toxicity: Oral-rat LD50: 1,872 mg/kg Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Date not available

Potential health effects:

Inhalation: Dust or vapors may be corrective or irritating to the nose, throat and respiratory tract. Symptoms may include burning sensation, coughing, shortness of breath, long inflammation and pulmonary edema-

Ingestion: May cause severe liver or kidneys damage. May also cause gastrointestinal damage.

Skin: May cause severe irritation and/or burns.

Eyes: May cause severe irritation, tearing, blurred vision, burns, severe damage, and permanent blindness.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: LJ9100000 (Anhydrous)

Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Mobility in soll: No data available

Bioaccumulative potential: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Hazard class: 8

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN1759

Packing group: III

Shipping name: Corrosive solids, n.o.s., (Ferric chloride, hexahydrate) Reportable Quantity: 1,000 lbs (454 kg)

2012 ERG Guide # 154

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 Kg

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the enhydrous form is on the Inventory list.

DSL NDSL WHMIS Classification Component TSCA CERLCA (RQ) RCRA code 1,000 lbs (454 kg) Not listed Ferric phoride, anhydrous Not listed Listed Listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind, Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Textensional Appends for Research on Cancer, OSHA, Occupational Safety and Health Administration, STOT. Specific Target Organ Toxicity, SE: Single Exposure, RE: Research or Cancer, OSHA, Occupational Safety and Health Administration, STOT. Specific Target Organ Toxicity, SE: Single Exposure, RE: Research ERG Emergency Response Guinebook

> Revision Date: August 25, 2014 Supercedes: May 15, 2013